

SWING BEAM INFORMATION



2 Position



4 Position



6 Position

SWING BEAM PACKAGES

King Swings Commercial offers swing set packages in addition to our playgrounds. These swing beams are separate from the playground and come in two-position increments

HOW DOES ADDING SWING SET PACKAGES TO A PLAYGROUND WORK?

For clarity, let's define our terms. A swing position refers to an individual swing. A swing beam comprises two swings of one type. A swing beam package comprises a group of swing beams of either type, whether just a single swing beam or multiple beams.

For example, if you want a total of 6 swing positions made up of two toddler swing positions and 4 belt swing positions, you would add one toddler swing beam and two belt swing beams to your playground. This would be one package.

If you need more than six swing positions, this will require more than one package. Currently, we can connect 3 swing beams together so if you need more than 6 swings, you will need to get multiple packages.


CONFUSED? OUR SALES TEAM CAN HELP YOU OUT!



SPECIFICATIONS FOR USE ZONES

The required use zone for the front and the back of all swing beams is 16'. This use zone is measured from the center of the swing beam and extends 16' in both directions for a total of 32'. The required use zone from the sides of the swing beam is 6'.

The use zone on the sides of the swing beams can be considered a combined use zone. This means you may combine the use zones of other items with the side of the swing beam as long as the total use zone is 6'. If this is confusing, please reach out to our sales team.



SWING BEAM



SPECIFICATIONS

Length & Width: 12'x9'

Total Height: 8'

Combined Use Zone on Sides: 6' each side


Use Zone Front & Back: 16' each Side

Recommended Age Range: 3-12 years

Weight Limit: 225 lbs

Swing Size: 12"x24"

Chain Length: 64"



BELT SWING

The belt swing is 6" wide and 24" long. The weight capacity is 250 lbs for each belt swing.

The belt swing beam is 12' long, and the width of the frame is 9'. It is 8' tall.

SPECIFICATION OF SPACING FOR SWINGS

For belt swings, the spacing between swing hangers is 22". The space between the two positions is 26". The space between the swings and the frame is 32".

The belt swing is 6" wide and 24" long. Recommended weight capacity is 250 lbs. The toddler swing is 18" wide, 19" tall, and 19" deep. The suggested weight limit is 75 lbs.

The swing beam is 12' long, and the width of the frame is 9'. It is 8' tall.